

HPRC[®]

T U N I N G

SPECIAL CASES 2016

H P R C C A S E S
MADE IN ITALY
MANUFACTURED

We are HPRC. We don't just design and manufacture watertight hard protective cases, we supply carrying solutions. And solutions need to be no-hassle and tailored to your needs.

This is why in Autumn 2013 we designed our first case with a foam specially cut to house the DJI Phantom 1.

Now, almost 3 years later, we are a leading manufacturer of custom cases for drones, gimbals, camcorders and cameras but we feel we are still at the beginning: more is yet to come.



DJI

SPECIAL CASES 2016

PHA4-2710

HPRC2710 for DJI Phantom 4

PHA4-BAGLG

HPRC Soft Backpack for DJI Phantom 4

PHA4-2700W

HPRC2700W for DJI Phantom 3

PHA4-BAG27

HPRC Soft bag for DJI Phantom 3
w/ prop guards attached

COMBOPHA4

HPRC2710 and BACKPACK for DJI Phantom 4

COMBOPHA4W

HPRC2700W and BACKPACK for DJI Phantom 4

PHA3-2700

HPRC2700 for DJI Phantom 3

PHA3-2700W

HPRC2700W for DJI Phantom 3

PHA3-BAGLG

HPRC Soft Backpack for DJI Phantom 3

INS2730W

HPRC2730W for DJI Inspire 1/Pro
(Travel Mode)

INS2780W

HPRC2780W for DJI Inspire 1/Pro
(Landing Mode)

INS2730W

HPRC2730W for DJI Inspire 1/Pro
(Travel Mode)

INS2780W

HPRC2780W for DJI Inspire 1/Pro
(Landing Mode)

BAT2400

HPRC2400 Battery case

OSM2350

HPRC2350 for DJI Osmo

OSM2500

HPRC2500 for DJI OsmoX5

RMX2730X

HPRC2730W for DJI Ronin MX

RON2700W

HPRC2700W for DJI Ronin

ROM2700W

HPRC2700W for DJI Ronin-M

PHA4-2710-01

HPRC2710PHA4



- 1 - DJI Phantom 4 with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10 - Controller Monitor Hood for Tablets / Instructions
- 11 - Remote Controller
- 12 - Cables
- 13 - Small Tools



TECHNICAL FEATURES

Dimension:

Internal dimension
555x459x256(mm) - 21.85x18.07x10.08(in)
External dimension
617x525x280(mm) - 24.29x20.67x11.02(in)


Weight:

7.75kg - 17.08lbs

Temperature rating:

Minimum
-40°C -40°F
Maximum
+80°C +176°F

TECHNICAL DRAWING




PHA4-BAGLG-01

HPRCDROLG4



dji
PHANTOM 4



- 1- Phantom 4 Professional / Advanced using Prop Guards
- 2- Spare Battery
- 3- Cables / Tools / Small Accessories
- 4- Battery Charger
- 5- 6 x Spare Props
- 6- Kit of Spare Prop Guards
- 7- Controller



TECHNICAL FEATURES

Dimension:
560x560x245(mm) - 22x22x9.6"(in)


Weight:
2.6kg - 5.7lbs

PHA4-2700W-01

HPRC2700WPHA4



- 1 - DJI Phantom 4 with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10- Controller Monitor Hood for Tablets / Instructions
- 11- Remote Controller
- 12- Cables
- 13- Small Tools




TECHNICAL FEATURES

Dimension:
 Internal dimension
 555x460x256(mm) - 21.85x18.1x10.08(in)
 External dimension
 620x525x280(mm) - 24.41x20.67x11.02(in)

Weight:
 8.72kg - 19.22lbs


Temperature rating:
 Minimum
 -40°C -40°F
 Maximum
 +80°C +176°F

TECHNICAL DRAWING



PHA4-BAG27-01

HPRCDROALPHA4



- 1 - DJI Phantom 4 with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10 - Controller Monitor Hood for Tablets / Instructions
- 11 - Remote Controller
- 12 - Cables
- 13 - Small Tools




Dimension: external dimension
560x470x235(mm) - 22.05x18.50x9.25(in)

Weight: 2.30kg - 5.07lbs

COMBO | PHA4 |

ONE SOLUTION ALL YOU NEED





PHA4-2710COM-01

HPRC2710PHA4COMBO

COMBO | PHA4 |
ONE SOLUTION ALL YOU NEED



HPRC2710

- 1 - DJI Phantom 4 with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10- Controller Monitor Hood for Tablets / Instructions
- 11- Remote Controller
- 12- Cables
- 13- Small Tools



Dimension:

internal dimension

555x459x256(mm) - 21.85x18.07x10.08(in)

external dimension

617x525x280(mm) - 24.29x20.67x11.02(in)

lid: 45(mm) - 1.77(in) bottom: 211(mm) - 8.30(in)

Weight:

7.75kg - 17.08lbs

Temperature rating:

Minimum
-40°C -40°F

Maximum
+80°C +176°F



HPRC PHA4 BACKPACK

Dimension:

external dimension

560x470x235(mm)
22.05x18.50x9.25(in)

Weight (with foam): 2.30kg - 5.07lbs



PHA4-2700WCOM-01

HPRC2700WPHA4COMBO

COMBO | PHA4 | 
ONE SOLUTION ALL YOU NEED



HPRC2700W

- 1 - DJI Phantom 4 with Props On
- 2 - Cables / Miscellaneous
- 3 - 3 x Filters
- 4 - Charger + Cables
- 5 - 2 x Kits of Spare Props
- 6 - Spare Battery
- 7 - Spare Battery / Miscellaneous Accessories
- 8 - Complimentary HPRC1100 for 8 MicroSD Cards
- 9 - Ipad Air / Tablet up to 10"
- 10- Controller Monitor Hood for Tablets / Instructions
- 11- Remote Controller
- 12- Cables
- 13- Small Tools



Dimension:

internal dimension
555x460x256(mm) - 21.85x18.1x10.08(in)
external dimension
620x525x280(mm) - 24.41x20.67x11.02(in)



lid: 46(mm) - 1,81(in) **bottom:** 210(mm) - 8,27(in)

Weight:

8.72kg - 19.22lbs

Temperature rating:

Minimum
-40°C -40°F

Maximum
+80°C +176°F



HPRC PHA4 BACKPACK

Dimension:

external dimension
560x470x235(mm)
22.05x18.50x9.25(in)

Weight (with foam): 2.30kg - 5.07lbs



PHA3-2700-01

HPRC2700PHA3



- 1 - Phantom 3 Professional / Phantom 3 Advanced
- 2 - Miscellaneous accessories / Cables
- 3 - Charger + Cables
- 4 - 2 Kits of Spare Props
- 5 - Spare Battery
- 6 - Gopro with housing
- 7 - Ipad Air / Tablet up to 10"
- 8 - Instructions or Note Pad
- 9 - Miscellaneous accessories
- 10 - Remote Controller
- 11 - Cables
- 12 - Small accessories

Dimension: **internal dimension**
550x460x205(mm) - 21,65x18,11x8,07(in)
external dimension
590x525x225(mm) - 23,23x20,67x8,86(in)



lid: 45(mm) - 1,77(in) **bottom:** 160(mm) - 6,03(in)

Weight: **empty:** 5,55kg - 12,24lbs
with foam: 6,28kg - 13,85lbs

Temperature rating: Minimum Maximum
 -40°C -40°F +80°C +176°F

PHA3-2700W-01

HPRC2700WPHA3



- 1 - Phantom 3 Professional / Phantom 3 Advanced
- 2 - GoPro + housing
- 3 - Charger + Cables
- 4 - 2 Kits of Spare Props
- 5 - Spare Battery
- 6 - Miscellaneous accessories / Cables
- 7 - Ipad Air / Tablet up to 10"
- 8 - Instructions or Note Pad
- 9 - Miscellaneous accessories
- 10 - Remote Controller
- 11 - Cables
- 12 - Small accessories



Dimension: **internal dimension**
555x460x256(mm) - 21,85x18,1x10,08(in)
external dimension
620x520x275(mm) - 24,41x20,47x10,83(in)




lid: 46(mm) - 1,81(in) **bottom:** 210(mm) - 8,27(in)

Weight: **empty:** 7,55kg - 16,65lbs
with foam: 8,68 KG / 19,14lbs

Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F

PHA3-BAGLG-01

HPRCDROLG3



- 1 Phantom 3 Professional / Advanced
- 2 Spare Battery
- 3 Cables / Tools / Small Accessories
- 4 Battery Charger
- 5 6 x Spare Props
- 6 Kit of Spare Prop Guards
- 7 Controller



TECHNICAL FEATURES

Dimension:
560x560x245(mm) - 22x22x9.6"(in)

Weight:
2.6kg - 5.7lbs



INS2730W-02

HPRC2730WINSPRO



- 1 Remote controller
- 2 DJI Inspire 1
- 3 Spare Battery
- 4 Battery Charger
- 5 Set of 4 propellers



- 6 Set of 4 propellers / Harness / Cables / Small Tools
- 7 2 x Ipad Mini OR 1 x 7" Field Monitor / 2 x Ipad Air OR 1 x 10" Field Monitor
- 8 X3/X5 Gimbal
- 9 Spare Battery

TECHNICAL FEATURES

Dimension:

Internal dimension
550x460x316(mm) - 21.65x18.11x 12.44(in)
External dimension
620x520x350(mm) - 24.41x20.47x13.78(in)

Weight:


9,40 KG – 20.72 lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F




TECHNICAL DRAWING



INS2780W-01

HPRC2780WINS



- 1** DJI Inspire 1 - DJI Inspire 1 Pro/RAW with Gimbal Attached
- 2** Transmitter (Radio Controller)
- 3** Spare Flight Battery
- 4** Ipad Air / Tablet up to 10"
- 5** 8-10 Spare Props
- 6** Charger
- 7** 2 x Filters
- 8** Spare Micro Four Thirds Lens
- 9** Cables
- 10** DJI Osmo (without Gimbal)


TECHNICAL FEATURES

Dimension:


Internal dimension
749x525x366(mm) - 29.49x20.67x14.41(in)
External dimension
810x586,5x388(mm) - 31.89x23.09x15.28(in)

Weight:

with foam: 14.30kg - 31.52lbs




- 11** DJI Focus
- 12** DJI Focus Brushless Motor
- 13** Spare Flight Battery OR X3 Gimbal
- 14** Cables / Miscellaneous



- 15** Miscellaneous
- 16** DJI Battery Charging Hub
- 17** Small Accessories / Miscellaneous

TECHNICAL DRAWING



Temperature rating:

Minimum -40°C -40°F
Maximum +80°C +176°F



BATTERY CASE

SPECIAL CASES 2016

BAT2400-01

PHANTOM/INSPIRE BATTERY CASE



New HPRC2400 with customized foam can hold until 6 spare batteries for DJI Phantom or DJI Inspire. The pre cutted foam could have the following internal layout:

- 6 batteries Inspire
- Charger for Inspire 100W or Charger for Inspire 180W



- 6 batteries for Phantom
- Charger for Phantom



- 3 batteries for Phantom
- + 3 batteries for Inspire
- Charger for Phantom or Charger for Inspire 100W or Charger for Inspire 180W



- 1 - Battery
- 2 - Charger + Cables


TECHNICAL FEATURES

Dimension:
 internal dimension 380x266x152(mm) - 14.96x10.47x5.98(in)
 external dimension 405x330x170(mm) - 15.94x12.99x6.69(in)
 lid: 45(mm) - 1.77(in) bottom: 107(mm) - 4.21(in)
Weight:
 2,38kg - 5.25lbs
Temperature rating:
 Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
 Black



TECHNICAL DRAWING



OSM2350-01

HPRC2350OSM



- 1 DJI Osmo with X3
- 2 Smartphone Holder
- 3 Cables / Miscellaneous Accessories
- 4 Battery Charger
- 5 Spare Batteries

TECHNICAL FEATURES


Dimension:
 Internal dimension
 340x235x99(mm) - 13.38x9.25x3.90(in)
 External dimension
 365x290x115(mm) - 14.37x11.42x4.53(in)

Weight:
 1.58kg - 3.49lbs

Temperature rating:
 Minimum Maximum
 -40°C -40°F +80°C +176°F




TECHNICAL DRAWING



OSM2500-01



FOR OSMOX5




- 1 Djí OSMO Handle + x5 Adapter + X5 Zenmuse (and more)
- 2 Tripod (over the stick extension) stick extension
- 3 8 x battery
- 4 Universal compartment (strap, rode microphone, etc...)
- 5 Other parts
- 6 Bike mount
- 7 Universal mount
- 8 2x charger + cable
- 9 Car mount adapter
- 10 2 x arm extension
- 11 3 x filter
- 12 arm extension screw
- 13 Manfrotto LED light
- 14 Strap
- 15 3 x SSD cards
- 16 SSD card reader
- 17 X3 / Z3 Zenmuse
- 18 X5 Filter
- 19 Micro SD, SD Adapter, USB Stick, Business card

TECHNICAL FEATURES

Dimension:
internal dimension 450x323x175(mm) - 17.72x12.72x6.89(in)
external dimension 478x390x194(mm) - 18.82x15.35x7.64(in)

Weight:
3,71kg - 8.18lbs

Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F



RMX2730W-01



- 1 - Ronin-MX Transmitter (Controller)
- 2 - Ronin-MX Gimbal
- 3 - 4x Spare Batteries
- 4 - 2x Charger
- 5 - 2x Side Handles
- 6 - Top Handle Bar
- 7 - Tuning Stand
- 8 - Camera Mounting Plate



TECHNICAL FEATURES

Dimension:

internal dimension 509x460x316(mm) - 20.04x18.11x12.44(in)
external dimension 620x520x350(mm) - 24.41x20.47x13.78(in)

lid: 45(mm) - 1.77(in) bottom: 271(mm) - 10.66(in)

Weight:

empty: 7,55kg - 16.64lbs
with cubed foam: 10,43kg - 22.99lbs


Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:
Black



TECHNICAL DRAWING



RON2700W-01

HPRC2700WRON



- 1 - DJI Ronin Handheld Gimbal
- 2 - Controller
- 3 - Cables/Accessories/Miscellaneous
- 4 - Quick Plate Mount
- 5 - Cables
- 6 - Pair of 15mm Rods
- 7 - Mounting Plate
- 8 - 2 x Spare Batteries
- 9 - Cables
- 10 - Charger
- 11 - Cables
- 12 - Tuning Stand
- 13 - Brackets/Screws
- 14 - Handlebar
- 15 - Knobs



Dimension:

internal dimension
555x460x256(mm) - 21,85x18,1x10,08(in)
external dimension
620x520x275(mm) - 24,41x20,47x10,83(in)

lid: 46(mm) - 1,81(in) **bottom:** 210(mm) - 8,27(in)

Weight:

empty: 7,55kg - 16,65lbs
with foam: 8,68 KG / 19,14lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F




ROM2700W-01

HPRC2700WROM



- 1 - Ronin-M Transmitter (Controller)
- 2 - Ronin-M Gimbal
- 3 - 2x Side Handles
- 4 - Cables/Screws/Small Accessories
- 5 - Top Handle Bar
- 6 - Cables/Screws/Accessories
- 7 - Tuning Stand
- 8 - 3x Spare Batteries
- 9 - 2x Charger
- 10 - Camera Mounting Plate
- 11 - 7" Field Monitor



Dimension:

internal dimension

555x460x256(mm) - 21,85x18,1x10,08(in)

external dimension

620x520x275(mm) - 24,41x20,47x10,83(in)

lid: 46(mm) - 1,81(in) bottom: 210(mm) - 8,27(in)

Weight:

empty: 7,55kg - 16,65lbs

with foam: 8,68 KG / 19,14lbs

Temperature rating:

Minimum
-40°C -40°F

Maximum
+80°C +176°F





YUNEEC

SPECIAL CASES 2016

TYH-4600W-01



TECHNICAL FEATURES

Dimension:

internal dimension 611x611x345(mm) - 24.05x24.05x13.58(in)
external dimension 670x677x388.5(mm) - 26.38x26.65x15.3(in)

lid: 55.5(mm) - 2.18(in) bottom: 289(mm) - 11.37(in)

Weight:

12,5kg - 27.55lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:


Black



- 1 - Yuneec Typhoon H
- 2 - Spare Battery
- 3 - Remote Controller
- 4 - 2 Kits of Spare Props
- 5 - Transformer
- 6 - Charger
- 7 - Miscellaneous Accessories
- 8 - Small Accessories / Cables
- 9 - Small Tools
- 10 - Sunshade



TECHNICAL DRAWING





3D Robotics

SPECIAL CASES 2016

SOL2700W-01

HPRC2700WSOL



- 1 - 3DR Solo with Props on
- 2 - 2 Spare Motors
- 3 - 2 Kits of Spare Props
- 4 - Spare Battery
- 5 - Small Accessories / Cables
- 6 - GoPro with Housing
- 7 - Transformer
- 8 - Charger
- 9 - Ipad Air / Tablet up to 10"
- 10 - 4 GoPro Batteries
- 11 - Remote Controller



Dimension:

internal dimension
555x460x256(mm) - 21,85x18,1x10,08(in)
external dimension
620x520x275(mm) - 24,41x20,47x10,83(in)



lid: 46(mm) - 1,81(in) **bottom:** 210(mm) - 8,27(in)

Weight:

empty: 7,55kg - 16,65lbs
with foam: 8,68 KG / 19,14lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F




GoPro
Be a HERO.

G O P R O

SPECIAL CASES 2016

GPR2350-02

HPRC2350GP



- 1 GoPro Hero3/Hero3+/Hero4
- 2 2 x LCDs
- 3 4 x Spare Batteries
- 4 Miscellaneous Accessories

TECHNICAL FEATURES

Dimension:
365x290x115(mm) - 14.37x11.42x4.53(in)

Weight:
empty: 1.48kg - 3.25lbs
with cubed foam: 1.61kg - 3.55lbs

Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F





BLACKMAGIC

SPECIAL CASES 2016

URS2730W-01



- 1 - Blackmagic Ursa Mini
- 2 - Batteries
- 3 - Lens
- 4 - Accessories / Cables
- 5 - Charger



TECHNICAL FEATURES

Dimension:
internal dimension 509x460x316(mm) - 20.04x18.11x12.44(in)
external dimension 620x520x350(mm) - 24.41x20.47x13.78(in)
lid: 45(mm) - 1.77(in) bottom: 271(mm) - 10.66(in)


Weight:
empty: 7,55kg - 16.64lbs
with cubed foam: 10,43kg - 22.99lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F

Colors:
Black



TECHNICAL DRAWING





SONY

SPECIAL CASES 2016

ALP2460-01



HPRC2460 for ALPHA 7 is a special edition, designed to safely carry your SONY Alpha Series.



- 1 Sony A7/A7R/A7S/A7II/A7RII/A7SII/a6300 with or without professional cage and lenses mounted (EF/F/PL-Mount/Leica R)
- 2 Lenses: Sony FE 50/1.4, 50/2,8 Macro, 24-70/2.8 G, 85/1,4 G, 16-35/4, 24-70/4, 28-70/3.5-5.6, 28/2.0 - SONY ZA 35/2.8, 35/1.4, 50/1.4, 50/1,8 55/1.8/ 10-18/4 - Zeiss Loxia 21/2.8, 35/2.0, 50/2.0
- 3 Battery chargers, cables
- 4 Accessories (baseplate, rods, top grip handles, lockports, cables, batteries, controllers, GoPro)
- 5 external recorder Atomos/Sound Device etc




TECHNICAL FEATURES

Dimension:
internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)
external dimension 434x371x193(mm) - 17.09x14.61x7.60(in)

Weight:
3,14kg - 6.92lbs

Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F





LEICA

Leica

LEICA

SPECIAL CASES 2016

SUMMILUX-M 1:1.4/35 ASPH.

LEM2400-01




- 1 1 x Leica M Camera Body with Lens Attached
- 2 Electronic Viewfinder
- 3 4 x Lens
- 4 Charger
- 5 Spare Battery
- 6 Cables/Miscellaneous

TECHNICAL FEATURES

Dimension:
internal dimension 380x266x152(mm) - 14.96x10.47x5.98(in)
external dimension 405x330x170(mm) - 15.94x12.99x6.69(in)

Weight:
empty: 2,05kg - 4.52lbs
with foam: 2,38kg - 5.25lbs

Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F



LEM2460-01




- 1 2 x Leica M Camera Body with Lens Attached
- 2 2 x Electronic Viewfinder
- 3 2 x Spare Batteries
- 4 4 x Lens
- 5 2 x Charger
- 6 Cables/Miscellaneous

TECHNICAL FEATURES

Dimension:
internal dimension 409x306x175(mm) - 16.10x12.05x6.89(in)
external dimension 434x371x193(mm) - 17.09x14.61x7.60(in)

Weight:
empty: 2,60kg - 5.73lbs
with foam: 3,14kg - 6.92lbs

Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F





 Find us
on Facebook

 PlaberItalia
Channel



I




BROMPTON

BROMPTON

SPECIAL CASES 2016

BRO4800W-01



1 Brompton Bike

2 Accessories



TECHNICAL FEATURES

Dimension:

internal dimension
720x320x600(mm) - 28.34x12.60x23.62(in)
external dimension
776x380x649(mm) - 30.55x14.96x25.55(in)

Weight:



with foam: 11.60 kg – 25.57 lbs

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F



TECHNICAL DRAWING





APPLE

SPECIAL CASES 2016

MAC4800W-01

HPRC4800WMAC



- 1 Apple Imac 27"
- 2 Cable
- 3 Keyboard + Mouse



TECHNICAL FEATURES



Dimension:
internal dimension
720x320x600(mm) - 28.34x12.60x23.62(in)
external dimension
776x380x649(mm) - 30.55x14.96x25.55(in)

Weight:
with foam: 11.60 kg – 25.57 lbs

Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F



TECHNICAL DRAWING





HPRC[®]

2700W
MADE IN ITALY

dji

H P R C C A S E S
MADE IN ITALY
MANUFACTURED



HPRC®

T U N I N G

Plaber s.r.l. - HPRC cases

Via Div Tridentina, 10
I-36061 Bassano del Grappa
Vicenza - Italy

Tel +39 0424 809150
Fax +39 0424 808548

USA office and warehouse:

Plaber America Inc - HPRC cases

240 Anderson Avenue
07074 Moonachie - New Jersey

Tel +1 201 617 2010
Fax +1 201 617 2001

www.hprc.it
E: info@hprc.it

HPRC® Brand owned by:

plaber
I T A L I A

SPECIAL CASES 2016